

KORNEV, L., starshiy master

Working cooperation of study groups. Prof.-tekh. obr. 22
no.5:12 My '64. (MIRA 17:6)

KORNEV, E.I.

Mark stamping device for square blanks. Metallurg 9 no.2:34 F '64.
(MIRA 17:3)

1. Pomoshchnik nachal'nika tsekha po oborudovaniyu, prokatnyy tsekh
No.4 Makeyevskogo metallurgicheskogo zavoda.

USSR/Miscellaneous - Industrial processes

Card : 1/1 Pub. 71 - 11/17

Authors : Kornev, G. A.

Title : Semi-automatic pipe expansion

Periodical : Mekh. trud. rab. 4, 28, June 1954

Abstract : A special semi-automatic device used in the work of pipe expansion (pipe coupling), is described. Drawing.

Institution : ...

Submitted : ...

Kornev, G.P.

SHIKHALIHEYLI, E.Sh.; KORNEV, G.P.; BAYRAMALIHEYLI, E.T.

Geological structure of the northeast slope of the Nuzgerskii
Plateau. Izv. AN Azerb. SSR no. 8:25-34 Ag'55. (MIRA 9:1)
(Caucasus--Geology, Structural)

KASHKAY, M.-A.; KORNEV, G.P.; AKHMEDOV, D.M.; BABAYEV, B.G.

Dashkesan intrusive complex. Izv. AN Azerb. SSR. Ser. geol.-geog. nauk
no.3:41-50 '58. (MIRA 11:12)
(Caucasus--Rocks, Igneous)

KORNEV, G.P.

SHIKHALIYLI, E.Sh.; KORNEV, G.P.

Formation of Tertiary intrusions in the southeastern part of the
Lesser Caucasus. Dokl. AN Azerb. SSR 14 no.2:131-136 '58.
(MIRA 11:4)

1. Institut geologii AN AzerSSR. Predstavleno akademikom AN AzerSSR
Sh.A. Azisbekovym.
(Azerbaijan--Rocks, Igneous)

SHIKHALIBEYLI, E.Sh.; KORNEV, G.P.

Tectonic pattern of the eastern Lesser Caucasus. Sov.geol. 2
no.11:45-58 N '59. (MIRA 13:5)

1. Geologicheskiy institut AN AzerSSR.
(Caucasus--Geology, Structural)

KORNEV, G.P.

Intrusions and postintrusive processes in the upper Pshekha River.
Trudy KF VNII no.6:320-334 '61. (MIRA 15:2)
(Pshekha Valley--Rocks, Igneous)

MUSTAFABEYLI, M.A.; KORNEV, G.P.; AKHMEDOV, D.M.

Mineralization characteristics and the genesis of the Dashkesan
iron deposit. Sov.geol. 4 no.5:96-109 My '61. (MIRA 14:6)

1. Dashkesanskaya geologicheskaya ekspeditsiya.
(Dashkesan region--Iron ores)

KORNEV, G.P.

Small and bedded intrusive^{ons} in the eastern Nakhichevan
A.S.S.R. and tectonic factors in their formation. Sov.geol.
4 no.7:34-45 J1 '61. (MIRA 14:10)

1. Krasnodarskiy filial Vsesoyuznogo neftegazovogo nauchno-
issledovatel'skogo instituta.
(Nakhichevan A.S.S.R.--Rocks, Igneous)

MUSTAFABEILI, M. A. [Mustafabeyli, M. A.]; KORNEV, G. P.; AKHMEDOV, D. M.

Mechanism of mineralization, and origin of the Dashkesan iron-ore deposits. Analele geol geogr 16 no.1:3-17 Ja-Mr '62.

KORNEV, G.P.; ROSTOVITSEV, K.O.

Recent data on the stratigraphy of lower Jurassic deposits in the basin of the Pshekha River (northwestern Caucasus). Dokl. AN SSSR 143 no.3:666-669 Mr '62. (MIRA 15:3)

1. Krasnodarskiy filial Vsesoyuznogo neftegazovogo nauchno-issledovatel'skogo instituta. Predstavleno akademikom N.M.Strakhovym. (Pshekha Valley--Geology, Stratigraphic)

KORNEV, G.P.; CHAITSKIY, V.P.

Some petrographic characteristics of the granitoid intrusion
in the Pshekha-Pshikhashka interfluve (northwestern Caucasus).
Trudy KF VMII no.10:289-307 '62. (MIRA 15:11)

(Pshekha Valley--Granite)
(Pshikhashka Valley--Granite)

~~SECRET~~ ~~SECRET~~

21

3/011/63/000/001/002/002
A006/A101

AUTHOR: Azizbekov, Sh. A.

TITLE: The Third All-Union Conference on regularities in the formation and distribution of endogenous mineral resource deposits

PERIODICAL: Izvestiya Akademii nauk SSSR, Seriya geologicheskaya, no. 1, 1963, 126 - 128

TEXT: The Conference was held in Baku from September 18 to 23, 1962; it was attended by 455 representatives from scientific and industrial geological organizations including 24 Academicians and Corresponding Members of AS USSR and AS of various republics, 49 Doctors-Professors and 164 Candidates of Geological and Mineralogical Sciences. The Conference was opened by Academician D. I. Shcherbakov, secretary of OOGN, AS USSR. The program of the Conference was divided into three main groups: a) regularities in the formation and distribution of endogenous deposits in the Caucasus; b) regularities in the formation and distribution of endogenous deposits of other folding regions of the Alpine cycle; c) general problems of metallogeny. In group a) reports on basic features

Card 1/4

The Third All-Union Conference on...

S/011/63/000/001/002/002
A006/A101

of metallogeny and models of detailed metallogenic charts of the Caucasus were delivered by Sh. A. Azisbekov and R. N. Abdullayev (in Azerbaijan), S. S. Mkrtchyan (in Armenia), O. A. Tvalchrelidze and Yu. I. Nazarov (in Georgia) and V. I. Orobey (in the Northern Caucasus); V. I. Smirnov reported on peculiarities in magmatism and metallogeny of the geosyncline and plateau stage in the evolution of the Western section of Northern Caucasus. Reports were delivered on magmatism and metallogeny in the Dashkesan ore region (M. A. Kashkay, M. A. Mustafabeyli) Southern Georgia (V. R. Nadirozze) the Sevan-Akera zone (S. M. Suleymanov) the Allaverdy-Bolina ore region (T. Sh. Gogishvili) and in the small Caucasian intrusives. O. S. Dzotsenidze reported on "Paleogenous volcanism in the Caucasus and metallogeny related to it"; V. N. Kotlyar on "Deposit types related to paleo-volcanism"; papers were delivered on pyrite deposits in the Somkhito-Karabakh and the Sevan-Akera zone (P. F. Sopko); Northern Caucasus (N. S. Skripchenko, V. I. Buzdze) the Chubukhlu-Tanzutak ore region (S. Sh. Sarkisyan). Reports were read on polymetallic deposits in Northern Caucasus (A. M. Krasnovidova), North-West Caucasus (G. P. Kornov) and the Mekhmany ore field (N. V. Zaytseva). Other reports dealt with gold (N. Ye. Gukhman, D. G. Saliya) mercury (D. V. Abuyev) and rare metal (F. V. Mustafabeyli) mineralization. Group 2 included reports on

Card 2/4

ROSTOVTSEV, K.O.; KORNEV, G.P.

Lower and Middle Jurassic sediments of the northwestern Caucasus.
Sov.geol. 6 no.8:100-107 Ag '63. (MIRA 16:9)

1. Krasnodarskiy filial Vsesoyuznogo nauchno-issledovatel'skogo
neftegazovogo instituta.
(Caucasus, Northern—Geology, Stratigraphic)

KORNEV, G.P.

Middle Jurassic complex metal mineralization in the northwestern
Caucasus. Zakonom.razm.polezn.iskop. 7:370-371 '64. (MIRA 17:6)

1. Krasnodarskiy filial Vsesoyuznogo nefte-gazovogo nauchno-
issledovatel'skogo instituta.

KORNEV, G.P.

Mosk recent tectonic movements and changes in the drainage
network in the upper basin of the Pshekh River (northwestern
Caucasus). Vest.Mosk.un.Ser.5: Geog. 20 no.4:74-77 J1-Ag '65.
(MIRA 18:12)

PERESLEGIN, I.A.; RIMMAN, A.F.; KORNEV, I.I.

Roentgen centrator for rotational telegamma therapy. Vest. rent.
i rad. 33 no.6:59-61 N-0 '58. (MIRA 12:1)

1. Iz radiologicheskogo (zav. - prof. A.V. Kozlova) tekhnicheskogo
otdela (zav. - kand. tekhn. nauk V.V. Dmukhovskiy) Gosudarstvennogo
nauchno-issledovatel'skogo instituta rentgenologii i radiologii
(dir. - dots. I.G. Lagunova) Ministerstva zdravookhraneniya RSFSR.
(RADIOTHERAPY, appar. & instruments
centrator for rotational telether. (Rus))

PERESLEGIN, I.A.; KORNEV, I.I.

Centering device in radiotherapy for intrathoracic tumors.
Vest.rent. 1 rad. 34 no.3:60-61 My-Je '59. (MIRA 12:10)

1. Iz radiologicheskogo otdela (zav. - prof.A.V.Kozlova) Nauchno-
issledovatel'skogo instituta rentgenologii i radiologii Ministerstva
zdravookhraneniya RSFSR (dir. - dotsent I.G.Lagunova).

(RADIOTHERAPY, appar. & instruments

centering device for intrathoracic tumors (Rus))

PERESLEGIN, I.A.; KORNEV, I.I.; PARSHIN, I.M.

Improved rotary chair for GUT-Co-400 equipment. Vest.rent.1 rad.
35 no.1:50-51 Ja-P '60: (MIRA 13:6)

1. Iz radiologicheskogo otdela (zav. - prof. A.V. Kozlova) i
eksperimental'nykh masterskikh (dir. D.S. Zhukhanenko) Gosu-
darstvennogo nauchno-issledovatel'skogo rentgeno-radiologich-
skogo instituta (dir. - dotsent I.G. Lagunova) Ministertva zdra-
vookhraneniya RSFSR.

(RADIOTHERAPY equip. & supply)

DMOKHOVSKIY, V.V.; KORNEV, I.I.; PERESLEGIN, I.A.; RIMMAN, A.F.

Formation of dose fields in rotation gamma-ray therapy. Med. rad.
6 no.2:57-64 '61. (MIRA 14:3)
(COBALT—ISOTOPES) (RADIOTHERAPY)

KORNEV, I.I., aspirant (Moskva, D-22, Malyy Predtechenskiy per., d.6, kv.11)

Rotation telegammathery of inoperable pulmonary cancer. Vest. rent.
1 rad. 36 no. 1:32-36 Je-F '61. (MIRA 14:4)

1. Iz radiologicheskogo otdela (zav. - prof. A.V. Kozlova)
Gosudarstvennogo nauchno-issledovatel'skogo rentgeno-radiologicheskogo
instituta Ministerstva zdravookhraneniya RSFSR (dir. - prof. I.G.
Lagunova).

(LUNGS—CANCER) (GAMMA RAYS—THERAPEUTIC USE)

DMOKHOVSKIY, V. V.; KORNEV, I. I.; PERESLEGIN, I. A.; RIMMAN, A. F.

Selection of basic parameters for the telegamma apparatus. Nov. med.
tekh. no.1:38-46 '61. (MIRA 14:12)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut meditsinskikh
instrumentov i oborudovaniya Gosudarstvennyy nauchno-issledovatel'-
skiy rentgeno-radiologicheskii institut.

(GAMMA RAYS-THERAPEUTIC USE)

PERESLEGIN, I.A.; ZUBCHUK, N.V.; KORNEV, I.I.

Sclerotic changes in the lungs following radiotherapy for pulmonary cancer. Med.rad. 7 no.6:50-55 Je '62. (MIRA 15:8)

1. Iz Gosudarstvennogo nauchno-issledovatel'skogo rentgeno-radiologicheskogo instituta Ministerstva zdravookhraneniya RSFSR.

(LUNGS--CANCER)

(X RAYS--THERAPEUTIC USE)

DMOKHOVSKIY, V.V.; PERESLEGIN, I.A.; KORNEV, I.I.; RIMMAN, A.F.

Optimum value of energy in rotation radiotherapy. Med.rad. 7
no.6:14-18 Je '62. (MIRA 15:8)

1. Iz Gosudarstvennogo nauchno-issledovatel'skogo rentgeno-
radiologicheskogo instituta Ministerstva zdravookhraneniya
RSFSR.

(RADIOTHERAPY)

KORNEV, I.I.

Optimum conditions of irradiation for patients with pulmonary cancer in rotational distance gamma therapy. Med.rad. 7 no.6: 18-32 Je '62. (MIRA 15:8)

1. Iz radiologicheskogo otdela (zav. - prof. A.V. Kozlova) Gosudarstvennogo nauchno-issledovatel'skogo rentgeno-radiologicheskogo instituta Ministerstva zdavookhraneniya RSFSR.
(LUNGS—CANCER) (GAMMA RAYS—THERAPEUTIC USE)

LAGUNOVA, I.G. (Moskva); TSYBUL'SKIY, B.A. (Moskva); KORNEV, I.I. (Moskva)

First experience of treating cancer of the cardiac portion of
the stomach by means of 25 Mev. betatron, Trudy TSentr. nauch.-
issl. inst. rentg. 1 rad. 11 no.11157-164 '64.

(MIRA 18:11)

KORNEV, I. P., AGUL'NIK, M. A.

*Mikrobiologiya Miasnykh i Ptitseproduktov [Microbiology of Meat and Poultry Products].
Manual for technical schools (technicums). Pishcherpromizdat. 1959, p. 125, 10
pictures; 3,000 copies, price 2 r. 75 k. without cover.

KRAPIVNER, L. M. (Senior Veterinary Surgeon, Riga Port Refrigerator) (Reviewer) .
A valuable book *, Veterinariya, Vol. 37, No. 11, p. 89, 1960.

KORNEV, I. S.

4

L 42067-65 ENT(1)/EMA(j)/EMA(b)-2 JK

ACCESSION NR: AP5010902

UR/0286/65/000/007/0092/0093

AUTHORS: Markovich, A. V.; Vorob'yev, A. A.; Vasil'yev, N. M.; Patrikeyev, G. T.; Yenichev, V. M.; Zybin, V. D.; Kornev, I. S.; Shevlev, V. M.; Anan'yeva, Ye. P.

TITLE: Botulitic anatoxins of types A and B. Class 30, No. 169751

23
B

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 7, 1965, 92-93

TOPIC TAGS: anatoxin, toxic substance, botulism, inoculation

ABSTRACT: This Author Certificate presents botulitic anatoxins, purified, concentrated, and sorbed with aluminum hydroxide. To produce in the blood of the inoculated people the antitoxic titers of types A and B and of the order 1-3 AE/ml, one ml of each preparation is made to contain 1000 antigenic units (EU per one AE) of the corresponding anatoxins with specific activity of no less than 3000 EU/1 mg of total nitrogen and not over 3.5 mg of aluminum hydroxide.

ASSOCIATION: none

SUBMITTED: 18 May 60

ENCL: 00

SUB CODE: 13

NO REF SOV: 000

OTHER: 000

Card 1/1 *am*

VOROB'YEV, A.A.; VASIL'YEV, N.N.; PATRIKEYEV, G.T.; ZYBIN, V.D.; KORNEV, I.S.;
ANAN'YEVA, Ye.P.; Primali uchastiye: ANDROSECHUK, S.M.; IONINA, Yu.S.;
SHMELEV, V.M.; MORDUYEVA, A.A.; NIKOLAYENKO, Yu.P.; MAKAROVA, V.A.;
CHERNOVA, Yu.S.; POYARKOVA, M.A.

Study of botulin anatoxins. Report No.1: Botulin anatoxin type A.
Zhur. mikrobiol., epid. i immun. 32 no.9:31-36 S '61. (MIRA 15'2)
(CLOSTRIDIUM BOTULINUM) (TOXINS AND ANTITOXINS)

VOROB'YEV, A.A.; VASIL'YEV, N.N.; YENICHEV, V.M.; PATRIKEYEV, G.T.;
SHEVELEV, V.M.; ZYBIN, V.D.; KORNEV, I.S.; ANAN'YEVA, Ye.P.
Prinimali uchastiye: ANDROSHCHUK, S.M.; NIKOLAYENKO, Yu.P.;
MAKAROVA, V.A.; CHERNOVA, Yu.S.; POYARKOVA, M.A.; IGONINA, Yu.A.;
MORDUYEVA, A.A.

Study of botulin anatoxins. Report No.2: Botulin anatoxin type B.
Zhur.mikrobiol., epid. i immun. 32 no.10:68-72 O '61. (MIRA 14:10)
(CLOSTRIDIUM BOTULINUM) (TOXINS AND ANTITOXINS)

VOROB'YEV, A.A.; VASIL'YEV, N.N.; SAMORODOV, L.M.; VORONTSOV, I.V.;
PATRIKEYEV, G.T.; MAKARENKO, M.M.; ~~Prinimali~~ uchastiye:
ANDROSHCHUK, S.M.; ZYBIN, V.D.; ~~KORNEV, I.S.~~; NIKOLAYENKO,
Yu.P.; CHERNOVA, V.A.; IGONINA, Yu.A.; MORDUYEVA, A.A.

Study of botulin anatoxins. Report No.4: Botulin anatoxin type
E. Zhur. mikrobiol., epid. i immun. 33 no.1:72-79 Ja '62.

(MIRA 15:3)

(CLOSTRIDIUM BOTULINUM) (TOXINS AND ANTITOXINS)

VOROB'YEV, A.A.; KOROBOV, A.M.; POYARKOVA, M.A.; KORNEV, I.S.;
ANDROSHCHUK, S.M.; prinitiali uchastiye: MORLUYEVA, A.A.; IGONINA,
Yu.A.; CHERNOVA, Yu.S.; NIKOLAYENKO, Yu.P.; MAKAROVA, V.A.

Method for preparing sorbed tetanus anatoxin from a purified and
concentrated toxin. Zhur.mikrobiol., epid.i immun. 33 no.8:107-112
Ag '62. (MIRA 15:10)

(TOXINS AND ANTITOXINS) (TETANUS)

KORNEV, I.S.; YENICHEV, V.M.; MORDUYEVA, A.A.; IGONINA, Yu.A.; PATRIKEYEV, G.T.;
ANDROSHCHUK, S.M.; ZYBIN, V.D.; SHISHULINA, L.M.

Culture media other than meat extracts for the preparation of
A and B botulin anatoxins. Vak. i syv. no.1:3-11 '63. (MIRA 18:8)

FORNIA, U.S. & CANADA, S.M.

Chemical synthesis and fish culture medium for producing tetanus antitoxin. Vol. 1. rev. 10/13/64-70 '69. (MIR)

(MIF 2818)

BTR KORNEY, Ir. V.

4088- The Influence of Carbon on the Self-Diffusion of Iron.
(In Russian.) P.L. Gruzin, Ir.V. Korney, and G. V. Kurdiumov.

Doklady Akademii Nauk SSSR, New ser., v. 80, Sept. 1, 1951, p. 49-51.

Radioactive Fe ⁵⁹ was used to study the Self-diffusion of Fe in various steels. Data are discussed, tabulated, and charted.

KORNEV, I. V., (Engr)

Textile Technology

Dissertation: "Determination of Critical Speeds of a Bobbin With a Stationary Spindle."
Cand Tech Sci, Moscow Textile Inst, 25 Mar 54. (Vechernyaya Moskva Moscow, 16 Mar 54)

SO: SUM 213, 20 Sep 1954

KORNEV, I.V.

The B-200-ShL silk spreader machine. Bul. tekhn.-ekon. inform. no.1:
46-47 '57. (MIRA 11:4)

(Silk manufacture)

Kornev, I. V.
KORNEV, I.V., inzh.

The PIN-1 gauge. Tekst. prom, 18 no.1:52-53 Ja '58.
(Dynamometer)

(MIRA 11:2)

ZAKHAROV, G.N.; KORNEV, I.V.

Instruments for measuring basic parameters of fabric construction.
Tekst.prom. 18 no.10:30-34 0 '58. (MIRA 11:11)
(Textile fabrics) (Weaving)

KORITYSKIY, Ya.I.; KUZNETSOV, V.S.; KORNEV, I.V.; LEBEDEVA, N.N.

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824710011-

High-lifting spindles for large packages. Biul.tekh.-ekon.inform.
no.11:55-57 '59. (MIRA 13:4)
(Spinning machinery)

KORNEV, I.V.; POLYAKOVSKIY, L.Yu.; ZONOV, B.T.; ZAKHAROV, V.A.; KORITYSSKIY,
Ya.I.

Results of the investigation of Zultser looms. Tekst. prem.
19 no.6:30-35 Je '59. (MIRA 12:9)

1. Sotrudniki Vsesoyuznogo nauchno-issledovatel'skogo instituta
tekstil'nogo i legkogo mashinostroyeniya.
(Looms)

KORITYSSKIY, Ya.I.; KUZNETSOV, V.S.; KORNEV, I.V.; LEBEDEVA, N.N.

New high-lifting spindle for large packages. Tekst. prom. 19
no.9:32-35 S '59. (MIRA 12:12)
(Spinning machinery)

KORITYSSKIY, Ya. I.; KORNEV, I. V.; ODINTSOVA, A. P.; KATSMAN, Z. Ya.

PMV apparatus for testing bobbins. Tekst.prom. 20 no.9:23-26 S
'60. (MIRA 13:10)

1. Sotrudniki Vsesoyuznogo nauchno-issledovatel'skogo instituta tekstil'nogo i legkogo mashinostroyeniya (for Koritysskiy, Kornev).
2. Rabotniki fabriki "Krasnaya krutil'shchitsa" (for Odintsova, Kataman).

(Bobbins (Textile machinery)--Testing)

MAKAROV, I. T.; KORNEV, I. V.

Reducing noise in textile factories. Tekst.prom. 20 no.9:77-79
S '60. (MIRA 13:10)

(Textile machinery—Noise)

KORNEV, I.V.; METIN, V.S.

Reducing noises in twister sections of synthetic fiber plants.
Khim.volok. no.2:44-49 '62. (MIRA 15:4)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut tekstil'nogo i
i legkogo mashinostroyeniya.
(Textile machinery)

KORNEV, I.V.; ARISTOV, P.I.

Textile industry and manufacture of textile machinery in the Polish People's Republic. Tekst.prom. 23 no.4:14-15 '63. (MIRA 16:4)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut legkogo i tekstil'nogo mashinostroyeniya (VNIITekmash) (for Kornev).
2. Ivanovskiy nauchno-issledovatel'skiy institut khlopchatobumazhnoy promyshlennosti (IvNITI) (for Aristov).
(Poland—Textile industry) (Poland—Textile machinery)

KORNEV, I.V. [translator]; ARISTOV, P.I. [translator]

Research in the field of spinning; from the materials of the 4th
International Conference of Textile Representatives in the Polish
People's Republic. Tekst.prom. 23 no.4:29-33 Ap '63. (MIRA 16:4)
(Spinning machinery)

LINETSKIY, Aleksandr [Linecki, A.]; KROTOVSKIY, Zigmund [Krotowski, Z.];
YEDERAN, Miklosh [Miklos, Jederan]; KORNEV, I.V. [translator]

Research in the field of weaving; from the materials of the 4th
International Conference of Textile Representatives in the
Polish People's Republic. Tekst.prom. 23 no.4:44-51 Ap '63.
(MIRA 16:4)

1. Kafedra tekstil'noy tekhnologii Budapeshtskogo politekhnicheskogo
instituta, Vengerskaya Narodnaya Respublika (for Yederan).
 2. Tsentral'noye tekhnicheskoye byuro promyshlennosti tekstil'nykh
mashin, Pol'skaya Narodnaya Respublika (for Linetskiy, Krotovski).
- (Looms)

LEBEDEVA, N.N., nauchnyy sotrudnik; SAFONOVA, A.I., nauchnyy sotrudnik;
KORNEV, I.V., nauchnyy sotrudnik; STEPANOVA, Z.S., nauchnyy
sotrudnik; SHIPOV, M.G.

Reducing the wear of spindle pins due to the continuous lubricant
filtration in their bushings. Tekst. prom. 25 no.4:69-71 Ap '65.
(MIRA 18:5)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut legkogo i
tekstil'nogo mashinostroyeniya (for Lebedeva, Safonova, Kornev).
2. Ivanovskiy energeticheskiy institut im. Lenina (for Stepanova).
3. Nachal'nik energotsekha Krasnovolzhskogo khlopchatobumazhnogo
kombinata (for Shipov).

KORNEV, K. [Korniev, K.]

Materials of the future. Nauka i zhyttia 11 no.1:24-26
Ja '62. (MIRA 15:2)

1. Chlen-korrespondent AN USSR.
(Polymers)

KORNEV, K.

Meat industry in the first half of 1963. Mias. ind. SSSR 34
no. 4:43-44 '63. (MIRA 16:10)

1. Sovet narodnogo khozyaystva SSSR.

KORNEV, K. [Korniev, K.]; PAZENKO, Z., kand.khim.nauk

Heat-resistant plastics. Nauka i zhyttia 12 no.9:42-43 3
'62. (MIRA 16:1)

1. Chlen-korrespondent AN UkrSSR (for Kornev).
(Plastics)

KORNEV, K.

Some comparison data on the operations of the meat industry during 1962.
Mias.ind. SSSR 33 [i.e.34] no.2:44-47 '63. (MIRA 16:4)

1. Sovet narodnogo khozyaystva SSSR, Upravleniye pishchevoy
promyshlennosti.

(Meat industry)

COMMON ELEMENTS										COMMON VARIABLES INDEX									
<p>ca KORNEY, K. A. 10</p> <p>Use of alcoholates of azido alcohols for the synthesis of azido derivatives of ethers. I. K. A. Korney and S. B. Serebryanik. <i>Zapiski Inst. Khim., Akad. Nauk U. R. S. R., Inst. Khim.</i> 6, Nos. 3-4, 343-50 (in Russian, 350-1; in German, 351) (1940).--Interaction of EtI and allyl bromide with the alcoholate of azidoethanol forms β-azidoethyl ethyl ether and β-azidoethyl allyl ether with yields of 10-15% and 20%, resp., on the basis of β-azidoethanol. The reactivity of the alcoholate of azidoethanol with EtI is greater than in the case of Et alcoholate.</p> <p>R. Z. Kamich</p>																			
<p>ASH-3LA METALLURGICAL LITERATURE CLASSIFICATION</p>																			
<p>FROM SYNTHESE</p>										<p>TO SYNTHESE</p>									
<p>10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30</p>										<p>31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50</p>									

KORNEV, K. A.
USSR/ Chemistry - Organic chemistry
Card 1/2 Pub. 22 - 16/47
Authors : Kornev, K. A.
Title : The chemism of phenetole chlorination reaction with N, N-dichlorobenzene-sulfonamide in dichloroethane
Periodical : Dok. AN SSSR 100/6, 1091-1093, Feb 21, 1955
Abstract : The facts pertaining to the diazoaminobenzene initiated phenetole chlorination reaction with N, N-dichlorobenzenesulfonamide leading to the formation of free radicals and the radical-chain mechanism connected with the chlorination reaction are analyzed.
Institution: Academy of Sciences Ukr SSR, Institute of Organic Chemistry
Presented by: Academician V. N. Kondratyev, September 20, 1954.

Periodical : Dok. AN SSSR 100/6, 1091-1091, Feb 21, 1955

Card 2/2 Pub. 22 - 16/47

Abstract : Experiments showed that N,N-dichlorobenzenesulfonamide does not react with phenetole in a dichloroethane solution at a temperature of 25° and that only the addition of diazoaminobenzene promotes an energetic reaction. It was established on the basis of kinetic data that N,N-dichlorobenzenesulfonamide in reaction with phenetole yields a certain monochloro-amine distinguished by low reactivity. Five references: 3 USA, 1 Swiss and 1 Belgian (1937-1950). Graphs.

Korney, K. A.

4

Nature of radicals formed in industrial chlorination of phenetole by N,N -dichlorobenzene-sulfonamide in dichloroethane; K. A. Korney, Doklady Akad. Nauk S.S.S.R. 105, 723-4 (1966); cf. *ibid.* 50, 24034. Chlorination of PhOEt with $\text{PhSO}_2\text{NCl}_2$ at 0° results, among other products, in formation of a substance, mp $82-83^\circ$, identified as $\text{PhSO}_2\text{NCl}_2\cdot\text{NPh}$, formed apparently by recombination of radicals PhSO_2NCl and $\text{PhN}\cdot$. This substance is an active initiator for chlorination of PhOEt; its kinetic curve being parallel to that of $\text{PhSO}_2\text{NCl}_2$; the substance is regarded as a possible intermediate in this chlorination. The yield of material obtained on mixing cold (CH_2Cl_2) solns. of PhOEt and $\text{PhSO}_2\text{NCl}_2$ is high, but the prod. product is very difficult to purify, owing to ready decomposition. With 2-naphthol and PhNMe₂, the substance forms yellow dyes; in alc. soln. PhNMe₂ yields p - N,N -dimethylaminobenzene. The Cl atom in the substance is quantitatively removed by AgNO_3 in the cold. The filtrate obtained after isolation of the triazine was chromatographed on Al_2O_3 yielding an unstated amt. of p -dichlorobenzene, n: 173-5°.

chem 1

on 1/2

Inst. Organic Chem, Acad. Sci. U.S.S.R.

KORNEY, K.A.

"Phosphoric Acid Aryldiethylenetriamides. I," by K. A. Kornev and L. D. Protsenko, Ukrainian Scientific Research Sanitary-Chemical Institute, Ukrainskiy Khimicheskii Zhurnal, Vol 22, No 6, 1956, pp 782-783

Phosphoric acid triethylenetriamide (TEF) was found to be active in the treatment of leukemia, lymphogranulomatosis, and cancer of the lungs. It has a general alkylating action and is capable of inhibiting the growth of malignant tumors to a significant degree. It therefore seemed interesting to the authors to further investigate derivatives of TEF. Six new

phosphoric acid aryldiethylenetriamides of the type $\text{ArNHPO} \left(\begin{array}{c} \text{CH}_2 \\ | \\ \text{N} \\ | \\ \text{CH}_2 \end{array} \right)_2$ were prepared having the following aryl groups: phenyl, p-tolyl, p-chlorophenyl, 2,4-dichlorophenyl, 2,4,6-trichlorophenyl, and p-nitrophenyl.

-Sum. 12817

KORNEV, K. A.

β -Alkoxyethyl β -chloroethylamines K. K. Khomenko and K. A. Kornev. *Ukrain. Khim. Zhur.* 22, 184-6.

elim (1966) (in Russian). -- $(C_2H_5)_2CHN$ heated with ROH forms the following $RO(CH_2)_2N(CH_2CH_2CH_3)$ (R and m.p. of HCl salt given): Et, 114°; iso-Pr, 133°; Bu, 126°; EtMeCHCH₂, 122.5°; C₆H₅, 115°; C₆H₅CHMe, 118.5°; CH₃CHCH₃, 121.5°; cyclohexyl, 150°; PhCH₂, 112-13°; [PhCH₂O(CH₂)₂N(CH₂)₂Cl, 77-8°]. The compds. may be useful in the treatment of malignant neoplasms.

John Howe Scott

HM
MT

73-3-9/24

AUTHOR: Kornev, K..A. and Korobeynikova, L. A.

TITLE: Initiated Bromination by N-Bromsuccinimide of Certain Phenetol and Thiophene Ethers. (Initsirovannoye Bromirovaniye N-bromsuktsinimidom Nekotorykh Efirov Fenola i Tiofena)

PERIODICAL: Ukrainskiy Khimicheskii Zhurnal, 1957, Vol. 23, No.3, pp. 341-343 (USSR).

ABSTRACT: The authors previously published reports on the action of diazoaminobenzene as initiator during the chlorination of phenetols with N,N-dichlorobenzene sulphamide (Ref. 1 and 2). According to Buu-Hoi (Ref.3) phenetol, anisol and other phenol ethers react comparatively slowly with N-bromsuccinimide, e.g. on heating phenetol over a water bath 16 hours are required for bromination. The authors have attempted to increase the rate of bromination by using diazoaminobenzene as inductor. An addition of 0.001 mole of the compound shortened considerably the reaction period. Experiments were carried out under identical conditions and with the same reagents as described by Buu-Hoi. Results of the experiments are tabulated together with comparative literature data. Experimental details of the bromination of anisole, phenetol, veratrole, thiophene and the bromination of the

Card 1/2

73-3-9/24

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824710011-7
Initiated Bromination by N-Bromsuccinimide of Certain Phenetol and Thiophene Ethers.

dimethyl ether of hydroquinone are given. The authors have proved that the addition of diazoamino benzene increases the rate of bromination and that a 44 - 76% yield of monosubstituted anisole, phenetol, veratrole, 1,4-dimethoxy benzene and thiophene is achieved. There are 1 table and 7 references, 3 of which are Slavic.

SUBMITTED: September, 17, 1956.

ASSOCIATION: Institute of Organic Chemistry, Academy of Sciences, Ukrainian SSR. (Institut Organicheskoy Khimii AN USSR)

AVAILABLE: Library of Congress.

Card 2/2

KORNEV, K.A.
RAPP, L.B.; KORNEV, K.A.

Synthesis of certain fatty-aromatic chloralkylamines. Ukr. khim.
zhur. 23 no.5:637-641 '57. (MIRA 10:11)

1. Ukrainskiy nauchno-issledovatel'skiy sanitarno-khimicheskiy
institut.

(Aromatic compounds) (Amines)

KORNEV, K.A. [Korniev, K.A.], doktor khim.nauk

APPROVED FOR RELEASE: 06/14/2000-16 CIA-RDP86-00513R000824710011

(MIRA 12:9)

(Polymers)

PROTSENKO, L.D.; KORNEV, K.A.

Acyldiethylene of phosphoric triamide. Ukr.khim,zhur. 24 no.5:
636-638 ' 58. (MIRA 12:1)

1. Ukrainskiy nauchno-issledovatel'skiy sanitarno-khimicheskiy
institut.

(Phosphoric triamide)

KOTON, Mikhail Mikhaylovich; KOHNIV, K.A., doktor khim.nauk, otv.red.;
KILLEROG, N.M., red.; LISOVETS, A.M., tekhn.red.

[New polymers in the national economy] Novye polimery v narodnom
khoziaistvo. Kiev, Izd-vo Akad.nauk USSR, 1959. 37 p.
(MIRA 13:5)

(Polymers)

15 (2), 15 (6)

AUTHOR: Kornev, K. A., Doctor of Chemical Sciences SOV/30-59-5-25/43

TITLE: Investigation Tasks in the Field of Polymers in the Ukraine
(Zadachi issledovaniy v oblasti polimerov na Ukraine)

PERIODICAL: Vestnik Akademii nauk SSSR, 1959, Nr 5, pp 105-107 (USSR)

ABSTRACT: In the course of the Seven-year Plan the chemical industry in the Ukraine is to be developed to such an extent, as to be in a position to process the Republic's natural resources - natural gas, petroleum, pit coal, and lignite as well as the wastes of agriculture. Among the scientific centers established there in the past 18 months, the following are especially mentioned: Institut khimii polimerov i monomerov Akademii nauk USSR (Institute for the Chemistry of Poly- and Monomers of the Academy of Sciences of the UkrSSR); Research Laboratories of the Kiyev, Khar'kov and L'vov Polytechnic Institutes; the laboratoriya Dnepropetrovskogo khimiko-tekhnologicheskogo instituta (Laboratory of the Dnepropetrovsk Chemico-technological Institute). To be completed are the Ukrainskiy filial Vsesoyuznogo nauchno-issledovatel'skogo instituta iskusstvennogo volokna ✓

Card 1/3

Investigation Tasks in the Field of Polymers in the
Ukraine

07/30-59-5-25/43

(Ukraine Branch of the All-Union Scientific Research Institute for Synthetic Fibers), the Institut planovogo Gosplana USSR (Institute of Synthetics of the State Planning Committee of the UkrSSR). The Institute for the Chemistry of the Poly- and Monomers in cooperation with the Institut ispol'zovaniya gaza (Institute of Gas Exploitation) has now begun working out the technical scheme of obtaining olefins from ethane-propane fractions of the gases in the Shebelinske area. It is furthermore planned there to work on the synthesis of polymers for the production of refractory synthetics. The Ukraine Chemical Institute for Coals, the Khar'kov Polytechnic Institute and the Khar'kov Economic-engineering Institute are jointly concerned with problems of raw material resources, technology, economy, and theoretical foundations of high and near temperature coking of coal. The Institut teploenergetiki Akademii nauk USSR (Institute of Thermal Energy of the UkrSSR) is carrying out investigations on the rational thermal processing of lignite. The Meeting of the AS UkrSSR in November 1958 was devoted to problems concerning the development of chemistry in the Republic. Among those attending were

Card 2/3

Investigation Tasks in the Field of Polymers in the SOV, 1-59-5-25/43
Ukraine .

co-workers of the State Planning Committee and National Economy Councils, leading engineers of chemical enterprises and scientists from a number of scientific research institutes and Ukrainian universities. Under discussion was the perspective plan in the field of the production of polymers, compounds and raw materials with respect to the Ukrainian natural resources as well as the contact between the Ukrainian institutes and the AS USSR. In the Institut neftekhimicheskogo sinteza (Institute for Petroleum-chemical Synthesis) and Institut vysokomolekulyarnykh soyedineniy Akademii nauk SSSR (Institute for High-molecular Compounds of the AS USSR) post-graduate students are to be trained to work in these new Ukrainian scientific centers. ✓

Card 3/3

KOPYTOV, V.F., otv.red.; KORNEV, K.A., doktor khim.nauk; red.; KLIMENKO, V.Ya.,
kand.geol.-miner.nauk, red.; SHTUL'MAN, I.F., red.izd-va;
KADASHEVICH, O.A., tekhn.red.

[Complete utilization of fuel gases of the Ukraine; natural and
industrial gases of the Ukraine; natural and industrial gases]
Kompleksnoe ispol'zovanie goruchikh gazov Ukrainy; prirodnye i
promyshlennyye gazy. Kiev, Izd-vo Akad.nauk USSR, 1960. 256 p.

(MIRA 13:4)

1. Akademiia nauk USSR, Kiev. Instytut vykorystannia hasu.
2. Chlen-korrespondent AN USSR; Institut ispol'zovaniya gaza AN
USSR (for Kopytov). 3. Institut geologicheskikh nauk AN USSR (for
Klimenko).

(Ukraine--Gas, Natural)

(Ukraine--Gas manufacture and works)

KORNEV, K.A. [Korniev, K.A.], doktor khim.nauk

For the production of synthetic materials. Nauka i sbyt'tia
10 no.1:12 Ja '60. (MIRA 13:6)

1. Ispolnyayushchiy obyazannosti direktora Instituta khimii
polimerov i monomerov AN USSR.
(Kiev—Chemical research) (Polymers)

158112

87522

S/073/60/026/002/010/015
B023/B067

AUTHORS: Gornostayeva, S. Ye. and Kornev, K. A.
TITLE: Aminomethylation of Some Aromatic Compounds
PERIODICAL: Ukrainskiy khimicheskiy zhurnal, 1960, Vol. 26, No. 2,
pp. 227-232

TEXT: The authors attempted to synthesize a number of aliphatic-aromatic diamines and to study the possibility of their application in the production of polyamides. They obtained condensation products of N-chloromethyl phthalimide with benzene, diphenyl, naphthalene, diphenyl ether, and diphenyl methane. The results are shown in Table 1. They indicate the following yields:

benzene	96.5%	$C_{24}H_{16}N_2O_4$
diphenyl	48.7%	$C_{30}H_{20}N_2O_4$
naphthalene	82.2%	$C_{28}H_{18}N_2O_4$
diphenyl ether	65.1%	$C_{30}H_{20}N_2O_5$

Card 1/3

87522

Aminomethylation of Some Aromatic
Compounds

S/073/60/026/002/010/015
B023/B067

diphenyl methane 78.3% $C_{31}H_{22}N_2O_4$

The authors obtained the following aliphatic-aromatic diamines by means of a hydrolytic cleavage of the condensation products: p-xylylene diamine, 4,4'-di-(aminomethyl)-diphenyl, 4,4'-Di-(aminomethyl)-diphenyl ether, 4,4'-Di-(aminomethyl)-diphenyl methane, and Di-(aminomethyl)-naphthalene. The diamines were identified in the form of picrates and diacetyl derivatives. The results are shown in Tables 3 and 4. The diamine structure was proved by oxidizing them into the corresponding dicarboxylic acids and by identifying their dimethyl esters. Table 5 shows the melting points of the dicarboxylic acids obtained and their dimethyl esters. The following scheme is given for the production of aliphatic-aromatic diamines, in this case, of p-xylylidene diamine: (See card 3 of 3 for scheme) There are 5 tables and 35 references: 13 Soviet, 8 US, 3 British, 7 German, 3 Japanese, and 1 Swiss.


ASSOCIATION: Institut khimii polimerov i monomerov AN USSR (Institute of Polymer and Monomer Chemistry of the Academy of Sciences UkrSSR)

SUBMITTED: September 10, 1959

Card 2/3

87522

S/073/60/026/002/010/015
B023/B067



Card 3/3

KORNEV, I.A.; KHOMANKOVA, K.K.

Synthesis of some chloroalkylamines of the pyrimidine series.
Zhur.prikl.khim. 33 no.7:347-350 J1 '60.

(MIRA 13:7)

1. Ukrainskiy nauchno-issledovatel'skiy sanitarno-khimicheskiy
institut.

(Amines) (Pyrimidine)

68819

53600
AUTHORS:

Kornev, K. A., Yangol', G. A.

S/020/60/131/01/034/060
B004/B011

TITLE:

Macroscopic Stages in the Initiated Reaction of the Bromina-
tion of Phenetol by N,N-Dibromo-5,5'-dimethyl Hydantoin in
Dichloro Ethane

PERIODICAL:

Doklady Akademii nauk SSSR, 1960, Vol 131, Nr 1, pp 122 - 124
(USSR)

ABSTRACT:

The authors proceed from the observations made by N.M.Emanuel' (Ref 1), who pointed out that macroscopic stages are likely to occur in chain reactions. While such stages have hitherto been observed chiefly in oxidations, the authors report on the occurrence of a macroscopic stage in the reaction mentioned in the title. Figure 1 shows the kinetic curve of the consumption of N,N-dibromo-5,5'-dimethyl hydantoin (DBDMH) in the bromination of phenetol initiated by diazo amino benzene. It allows two stages to be identified, a quick one for the consumption of the first bromine atom, and a slow one for the brominating action of the bromine atom of monobromo dimethyl hydantoin (BDMH) developing during the reaction. The action of the latter was examined by special experiments, in the course of which the kinetic curve was accurately reproduced. BDMH enters into re-

Card 1/2

PROTSENKO, L.D.; KORNEV, K.A.

Diethylenediamides of alkyl - and arylurethanphosphoric acids.
Ukr. khim. zhur. 27 no.2:243-244 '61. (MIRA 14:3)
(Urethanphosphoric acid)

PROTSENKO, L.D.; KORNEV, K.A.; BOGODIST, Yu.I.

Synthesis of some fluorinated acyl- and aryldiethylenetriamides
of phosphoric acid. Ukr.khim.zhur. 27 no.3:357-359 '61.

(MIRA 14:11)

1. Ukrainakiy nauchno-issledovatel'skiy sanitarno-khimicheskiy
institut.

(Phosphoric acid)

(Polyamides)

RAPP, L.B.; KORNEV, K.A.

Study of certain properties of chloroethylamines of the aliphatic aromatic series. Ukr.khim.zhur. 28 no.2:222-225 '62.

(MIRA 15:3)

1. Ukrainskiy nauchno-issledovatel'skiy sanitarno-khimicheskiy institut.

(Amines)

PROTSENKO, L. D.; KORNEV, K. A.

Tetraethylenamides of diphosphoric esters of some diatomic
phenols. Ukr. khim. zhur. 28 no.6:719-720 '62.

(MIRA 15:10)

1. Ukrainskiy nauchno-issledovatel'skiy sanitarno-khimicheskiy
institut.

(Amides) (Pyrophosphoric acid) (Phenols)

KORNEV, K.A. [Korniev, K.A.]; GREKOV, A.P. [Hrekov, A.P.]; YANCHIVS'KIY, V.A.
[Ianchivs'kyi, V.A.]

Production of high-purity caprolactam. Khim. prom. [Ukr.] no.1:
16-17 Ja-Mr '63 (MIRA 17:7)

1. Institut khimii polimerov i monomerov AN UkrSSR.

GREKOV, A.P. [Hrekov, A.P.], kand. khim. nauk; KORNEV, K.A. [Korniev, K.A.], doktor khim. nauk; SUKHORUKOVA, S.A.

Production of powder capron by means of alkaline polymerization
in organic solvents. Khim. prom. [Ukr.] no.4:25-28 O-D'63.
(MIRA 17:6)

KORNEV, K.A. [Korniev, K.A.], doktor khim. nauk; KACHAN, A.A., kand. khim. nauk; LOKHMACHOV, V.F.; VOYTSEKHIVS'KIY, R.V. [Voitsekhivs'kyi, R.V.], kand. khim. nauk

Using ultraviolet spectroscopy for the investigation of the photodisintegration of polycaprolactam. Khim. prom. [Ukr.] no.1:65-66 Ja-Mr'63 (MIRA 17:7)

1. Institut khimii polimerov i monomerov AN UkrSSR. 2. Chlen-korrespondent AN UkrSSR (for Kornev).

ACCESSION NR: AT4034001

S/0000/63/000/000/0166/0169

AUTHOR: Kornev, K. A.; Grekov, A. P.; Sukhorukova, S. A.

TITLE: Investigation of the process of polymerization of lactams in organic solvents. I. Polymerization of Epsilon-caprolactam in the presence of the sodium salt of caprolactam and acetylcaprolactam

SOURCE: Geterotsepnnyye vysokomolekulyarnyye soyedineniya (Heterochain macromolecular compounds); sbornik statey. Moscow, Izd-vo "Nauka," 1963, 166-169

TOPIC TAGS: polymerization, lactam, lactam polymerization, acetylcaprolactam, caprolactam, polymerization catalyst

ABSTRACT: The authors studied the effect of temperature and the concentration of the sodium salts of caprolactam and N-acetylcaprolactam as catalysts on the polymerization of caprolactam in decalin, α -methylnaphthalene, diphenyl oxide, chlorobenzene, xylene, toluene, petroleum ether, ethyl ether, etc. A measured amount of the sodium salt was dissolved in 4.52 g of purified ϵ -caprolactam, 20 ml of a solvent was added, and the solution, in a cylindrical vessel was dipped in an oil bath whose temperature of 150 or 180C was maintained constant within ± 2 C in each procedure. After 10-15 min, a measured amount of the

Card 1/2

ACCESSION NR: AT4034001

acetyl derivative was added to the mixture, causing immediate precipitation of polycaprolamide in the form of a powder or solid mass. Within the 5 next minutes the polymerization was completed and the polymer prepared was filtered hot, washed with benzene and petroleum ether and dried to a constant weight at 80-100C. The polymerization was found to occur in nonpolar solvents within a few minutes with a satisfactory yield. The latter increases to about 80% with an increase in temperature (190C) and a decrease in catalyst concentration down to 0.01-0.05 mol/mol caprolactam. Orig. art. has: 2 figures.

ASSOCIATION: Institut khimii polimerov i monomerov AN SSSR (Institute of Polymer and Monomer Chemistry, AN Ukr.SSR)

SUBMITTED: 25Oct62

DATE ACQ: 30Apr64

ENCL: 00

SUB CODE: 00

NO REF SOV: 002

OTHER: 007

GREKOV, A.P. [Hrekov, A.P.], kand. khim. nauk; KORNEV, K.A. [Korniev, K.A.];
doktor khim. nauk; YAROVIIY, D.N. [Iarovyi, D.N.]

Alkali polymerization of caprolactam. Khim. prom. [Ukr.] no.3:48-50
Jl-S '63. (MIRA 17:8)

1. Institut khimii polimerov i monomerov AN UkrSSR.

KORNEV, K.A.; SHRUBOVICH, V.A.; MOZDOR, Ye.V.; CHERNYAVSKIY, G.V.

Condensation of α -chloroethylbutyl ether with naphthalene, acenaphthene, and phenanthrene. Ukr. khim. zhur. 29 no.4: 432-435 '63. (MIRA 16:6)

1. Institut khimii polimerov i monomerov AN UkrSSR.
(Ethers) (Aromatic compounds)

S/073/63/029/004/003/003
A057/A126

AUTHORS: Smirnova-Zamkova, S.Ye., Kornev, K.A.

TITLE: Polyamides with aromatic and heterocyclic links in the chain

PERIODICAL: Ukrainskiy khimicheskiy zhurnal, v. 29, no. 4, 1963, 435 - 439

TEXT: Polyamides based upon diaminoalkyl derivatives of aromatic compounds are of special interest because of an increased heat resistance. In connection herewith the authors started investigations on the properties of polyamides based on different monomers with aromatic or heterocyclic rings. In an earlier paper a synthesis was described of aliphatic-aromatic diamines by aminomethylation of aromatic compounds (Ukr. khim. zhur., v. 26, 1960, 227). In the present paper the synthesis and the characteristics of 24 new polyamides are described, obtained from 2,5-di-(aminomethyl)-thiophene, 4,4'-di-(aminomethyl)-diphenyl ester, 4,4'-di-(aminomethyl)-diphenylmethane, and 4,4'-(diaminomethyl)-diphenyl and adipic, pimelic, azelaic, sebacic, isophthalic, and terephthalic acid. The syntheses were carried out by interfacial condensation. For a comparison polyamides from p-xylylendiamine were also prepared. The polyamides obtained are

Card 1/2

SMIRNOVA-ZAMKOVA, S.Ye.; KORNEV, K.A.; CHERNYAVSKAYA, G.A.

Aminomethylation of some derivatives of benzene. Ukr. khim.
zhur. 29 no.4:459 '63. (MIRA 16:6)

1. Institut khimii polimerov i monomerov AN UkrSSR.
(Benzene derivatives)
(Aminomethylation)

L 12884-63

EPR/EWP(j)/EPF(c)/EWT(m)/BDS/ES(s)-2 AFFTC/ASD/SSD

Ps-4/PC-4/Pr-4/Pt-4 RM/WW/JW/MAY

ACCESSION NR: AP3001451

S/0073/63/029/005/0523/0526

81

AUTHOR: Sarzhevskaya, V. P.; Kornev, K. A.; Smirnova-Zamkova, S. E.

80

TITLE: Polyamides having aromatic and heterocyclic groups in the chain. 3. Polyamides based on hexamethylene diamine, n-xylylenediamine and pyridine-2,5-dicarboxylic acid

SOURCE: Ukrainskiy khimicheskiy zhurnal, v. 29, no. 5, 1963, 523-526

TOPIC TAGS: polyamides, aromatic groups, heterocyclic groups, hexamethylene diamine, n-xylylenediamine, copolymers, resins interphase condensation method

ABSTRACT: Polyhexamethylene isocinchomeranamide was synthesized from hexamethylene diamine and pyridine-2,5-dicarboxylic acid by the interphase-condensation method described by Smirnova-Zamkova and Kornev (Ukr. khim. Zh., 28, 1962). Poly-n-xylylene isocinchomeranamide was similarly prepared using n-xylylenediamine. Copolymers were synthesized using the dibasic acid and mixtures of the mentioned diamines: an increase of the n-xylylene-diamine raised the fusion temperature and decreased solubility of these thermally stable resins. The best yield and highest molecular weight of these polyamides was obtained on the border of the water-chloroform phase. Changing concentration of the starting materials from 0.03 to 0.12

Card 1/2

L 12884-63

ACCESSION NR: AF3001451

mol/gm did not change the yield or viscosity of the polyamide solutions significantly. Orig. art. has: 3 tables, 1 figure.

ASSOCIATION: Institut khimii polimerov i monomerov, AN UkrSSR (Institute of Polymer and Monomer Chemistry, Academy of Sciences Ukrainian SSR)

SUBMITTED: 28Apr62

DATE ACQ: 12Jun63

ENCL: 00

SUB CODE: 00

NO REF SOV: 007

OTHER: 004

Card 2/2

KORNEV, K.A.; SHRUBOVICH, V.A.; CHERNIAVSKIY, G.V.

Copolymerization of some derivatives of dihydronaphthalene
and dihydroacenaphthene with maleic anhydride. Ukr. khim.
zhur. 29 no.8:840-842 '63. (MIRA 16:11)

1. Institut khimii polimerov i monomerov AN UkrSSR.

SARZHEVSKAYA, V.P.; KORNEV, K.A.; SMIRNOVA-ZAMKOVA, S.Ye.

Polyamides with aromatic and heterocyclic links in the chain. Part 8: Polyamides based on some heterocyclic dicarboxylic acids and aliphatic diamines. Ukr. khim. zhur. 29 no.10:1076-1078 '63. (MIRA 17:1)

1. Institut khimii polimerov i monomerov AN UkrSSR.

GREKOV, A.P.; SUKHORUKOVA, S.A.; KORNEV, K.A.

Potentiometric determination of dicarboxylic acid hydrazides with potassium iodate. Zav.lab. 29 no.12:1436. '63. (MIRA 17:1)

1. Institut khimii polimerov i monomerov AN UkrSSR.

KORNEV, K.A., glav. red.; SHEVLYAKOV, A.S., red.; CHERVYATSOVA, L.L., red.; SMETANKINA, N.P., red.; YEGOROV, Yu.P., red.; ROMANKEVICH, M.Ya., red.; KUZNETSOVA, V.P., red.; PAZENKO, Z.N., red.; KACHAN, A.A., red.; VOYTSEKHOVSKIY, R.V., red.; GREKOV, A.P., red.; DUMANSKIY, I.A., red.; AVDAKOVA, I.L., red.; VYSOTSKIY, Z.Z., red.; GUMENYUK, V.S., red.; MEL'NIK, A.F., red.

[Synthesis and physical chemistry of polymers; articles on the results of scientific research] Sintez i fiziko-khimiia polimerov; sbornik statei po rezul'tatam nauchno-issledovatel'skikh rabot. Kiev, Naukova dumka, 1964. 171 p. (MIRA 17:11)

1. Akademiya nauk URSS, Kiev. Institut khimii vysokomolekulyarnykh soyedineniy. 2. Institut fizicheskoy khimii im. L.V. Pisarzhevskogo AN USSR (for Vysotskiy). 3. Institut khimii vysokomolekulyarnykh soyedineniy AN USSR (for Romankevich, Chervyatsova, Voytsekhovskiy).

L 50211-65 EWT(m)/EPF(c)/EPR/EWP(j)/ Ec-4/Pr-4/PS-4 RPL WH/GS/

RM
ACCESSION NR: AT5002656

S/0000/64/000/000/0024/0030

AUTHOR: Shrubovich, V.A.; Chernyavskiy, G.V.; Semko, Ye. P.; Kornev, K.A.

TITLE: Polymerization and copolymerization of 1,2-dialin

SOURCE: AN UkrSSR. Institut khimii vysokomolekulyarnykh soyedineniy. Sintez i fiziko-khimiya polimerov, sbornik statey po rezul'tatam nauchno-issledovatel'skikh rabot (Synthesis and physical chemistry of polymers: collection of articles on the results of scientific research work). Kiev, Naukova dumka, 1964, 24-30

TOPIC TAGS: dialin polymerization, dialin copolymerization, isoprene copolymer, styrene copolymer, methyl methacrylate, sodium naphthalene catalyst

ABSTRACT The authors polymerized 1,2- and 1,4-dihydronaphthalenes in tetrahydrofuran (THF) with varying amounts of sodium naphthalene catalyst. They also copolymerized these dialins with styrene, isoprene, and methyl methacrylate (MMA). The resistance and solubility of the polymers were studied. The results show that 1,2-dialin is more reactive than 1,4-dialin and that the polymers do not yield a clear solution in THF.

Card 1/2

L 50211-65

ACCESSION NR: AT5002656

copolymerized with styrene and isoprene, but not with methylmethacrylate. A brief description is given of the experimental procedure, polymer composition and properties. Orig. art. has: 3 figures and 3 tables.

ASSOCIATION: Institut khimii vysokomolekulyarnykh soyedineniy AN UkrSSR (Institute of the Chemistry of High Polymers, AN UkrSSR)

SUBMITTED: 22Jun64

ENC L: 00

SUB CODE: OC

OTHER: 011

SOV: 002

ms

2/2

L 51870-65 EWT(m)/EPF(c)/EPR/EWP(j)/T IC-4/Pr-4/Ps-4 RPL WM/GS/RM
 S/0000/64/000/000/0030/0034
 20
 29
 21

ACCESSION NR: AT8002657

AUTHOR: Yangol', G. A.; Kornev, K. A.

TITLE: Preparation of polyamidourethans based on the diethylamides of dibasic acids and hexamethylene diisocyanate

SOURCE: AN UkrSSR. Institut khimii vysokomolekulyarnykh soyedineniy. Sintez i fiziko-khimiya polimerov; sbornik statey po rezul'tatam nauchno-issledovatel'skikh rabot (Synthesis and physical chemistry of polymers; collection of articles on the results of scientific research work). Kiev, Naukova dumka, 1964, 30-34

TOPIC TAGS: polyamidourethan synthesis, hexamethylene diisocyanate, dibasic acid diethylamide, amide copolymerization

ABSTRACT: The authors polymerized the diethylamides of oxalic, succinic, adipic, azelaic and sebacic acids with hexamethylene diisocyanate in dimethyl formamide (at 115 -120C) or chlorobenzene (at the boiling point). Mixtures were equimolecular or had a slight excess of the diisocyanate. The yield was higher in dimethyl formamide and the products obtained were characterized by high m.p. and viscosity. Ratio changes to diisocyanate excess of 0.15 mol. did not affect the yield or polymer properties. The polyamidourethans obtained had m.p. in the 170-220C range. The authors determined

L 51870-65

ACCESSION NR: AT5002657

the solubility and specific viscosity (in concentrated sulfuric acid at 25C) and tested the materials thermomechanically. Orig. art. has: 3 tables.

ASSOCIATION: Institut khimii vysokomolekulyarnykh soedineniy AN UkrSSR (Institute of the Chemistry of High Polymers, AN UkrSSR)

SUBMITTED: 22Jun84

ENCL: 00

SUB CODE: OC, CC

NO REF SOV: 000

OTHER: 007

Card

2/2

RECESSION NR. AT5002658

S/0000/64/000/000/0034/0038

12
50

AUTHOR: Yanchevaldy, V. A. ; Grekov, A. P. ; Korney, K. A.

Synthesis and study of some polyhydrazides of dicarboxylic acids

Abstract: The authors

have synthesized and studied the properties of polyhydrazides

of dicarboxylic acids

by polycondensation, dicarboxylic acids

The authors polycondensed hydrazides of dicarboxylic acids

Six new polyhydrazides were synthesized from dicarboxylic acids

and hydrazine

by polycondensation

and the properties of the

Card 1/2

17-00000 NR AT5002658

ASSOCIATION Institut khimii vysokomolekulyarnykh soedineniy (Vysokomolekulyarnyye Soedineniya) Akademiya Nauk SSSR, Moscow, USSR

SUBMITTED: 22Jun64

ENCL: 00

SITE CODE: OC,GC

NO REF SOV: 000

OTHER: 008

Card

LL
2/2

Ukrainian Academy of Sciences, Institute of Chemistry, Kiev, U.S.S.R.

Ukrainian Academy of Sciences

Kiev, U.S.S.R.

Ukrainian Academy of Sciences, Institute of Chemistry, Kiev, U.S.S.R.

TITLE: synthesis and study of polyaminotriazoles-1,2,4

E-1

Ukrainian Academy of Sciences, Institute of Chemistry, Kiev, U.S.S.R.

Ukrainian Academy of Sciences, Institute of Chemistry, Kiev, U.S.S.R.

Ukrainian Academy of Sciences, Institute of Chemistry, Kiev, U.S.S.R.

Ukrainian Academy of Sciences, Institute of Chemistry, Kiev, U.S.S.R.

Ukrainian Academy of Sciences, Institute of Chemistry, Kiev, U.S.S.R.

Ukrainian Academy of Sciences, Institute of Chemistry, Kiev, U.S.S.R.

Ukrainian Academy of Sciences, Institute of Chemistry, Kiev, U.S.S.R.

Ukrainian Academy of Sciences, Institute of Chemistry, Kiev, U.S.S.R.

Ukrainian Academy of Sciences, Institute of Chemistry, Kiev, U.S.S.R.

Ukrainian Academy of Sciences, Institute of Chemistry, Kiev, U.S.S.R.

Ukrainian Academy of Sciences, Institute of Chemistry, Kiev, U.S.S.R.

Ukrainian Academy of Sciences, Institute of Chemistry, Kiev, U.S.S.R.

Ukrainian Academy of Sciences, Institute of Chemistry, Kiev, U.S.S.R.

ACCESSION NR: AT5002659

ASSOCIATION: Institut khimii vysokomolekulyarnykh soedineniy AN UkrSSR (Institute
of the Chemistry of High Polymers, AN UkrSSR)

SUBMITTED: 22Jun64

ENCL: 00

SUB CODE: OC ,OC

PLAT SOV. 004

OTHER: 019

Card

^{-L}
2/2